

Catalogue of Innovation Offers by Young Scientists of the National Academy of Sciences of Belarus

March 2026



Contents

Composite materials based on iron as a highly efficient replacement for electrical steel.....	3
"ThermoHedgehog" device for increasing the efficiency of using heat generated by autonomous heating devices of the "potbelly stove" type.....	6
Technology for extracting lithium ions from aqueous media.....	9
High Efficiency Cloning of European Spruce.....	13
Growth regulator and immunomodulator of plants.....	15
Technology for the production of dry mixtures and emulsions for the manufacture of natural 3D meat products (HoReCa 3D-food printing).....	17

Composite materials based on iron as a highly efficient replacement for electrical steel

Technology offers
IDENTIFIER: TO

Summary

Center for Materials Research, represented by researchers Artem Larin and Grigory Rimsky (headed by Dr. Gennady Govor) offer consumers technology and equipment for obtaining soft magnetic composite materials containing metal powders with improved properties under commercial agreement with technical assistance and is looking for partners to enter into a joint venture agreement and a research cooperation agreement.

Description

The Centre for Materials Research developed a new method and equipment for the synthesis of metallic powder, which is then used to produce soft magnetic materials with new properties. Produced materials can be used as a replacement for electromagnetic steel.

In comparison to electromagnetic steel the soft magnetic materials have no eddy current losses at high frequencies due to electrical insulation of individual iron particles in the ferrite layer. The advantages for low frequency (50 Hz) applications are high linearity of magnetic characteristic and thermal stability. The manufacturing of parts using powder metallurgy means non-waste production and lower cost of finished products.

Typical applications of soft magnetic materials incl. electric motors, transformers, broadband electromagnetic screens, etc.

Specification of powder synthesis equipment:

- * Particle size: 40-150 micrometers
- * Average thickness of ferrite layer: 1-3 nanometers, compared to ca. 1 micrometer competitor
- * Working temperature: 150-200 C, compared to ca. 1000 C competitor
- * Productivity of single plant: 50 kg/h (scalable).

Parameters of offered soft magnetic materials based on iron powder:

- * Magnetic saturation induction: up to 2.1 T, compared to 1.7 T competitor
- * Working frequency: 100 Hz - 1 MHz, compared to 50-100Hz competitor
- * Low electromagnetic losses.

Density of components manufactured by moulding powder under 0.5-0.6 GPa pressure is 7.3-7.5 g/cm³.

Examples of iron-based composite products can be found [here](#) (in Russian).

Contacts

Scientific and Practical Centre for Materials Research

<https://physics.by/>

220072 Minsk, P. Brovka str. 19

Oleg Ignatenko

ignatenko@physics.by

Attachments

[Composite materials based on iron.jpg](#)


Композиционный магнитомягкий материал на основе капсулированных металлических порошков

Чем он хорош?

- Высокое удельное сопротивление ($10^3 - 10^4$ Ом·см)
- Низкие потери (в 1,5 - 2 раза меньше чем для электротехнической стали)
- Высокая магнитная индукция насыщения (до 21 Тл)

Что это дает?

- Масса и габариты в 2 раза меньше.
- Уникальная конструкция двигателя.
- Диапазон частот расширен до 100 кГц - 1 МГц.



Современные технологии

Актуальность

Высокая практическая значимость



[Artem Larin&Grigory Rimsky.jpg](#)



[Laureates of 100 Ideas for Belarus 2023.jpg](#)



"ThermoHedgehog" device for increasing the efficiency of using heat generated by autonomous heating devices of the "potbelly stove" type

Technology offers

IDENTIFIER: TO

Summary

A.V. Luikov Institute of Heat and Mass Transfer, represented by engineer Olga Ermakova, proposes a calculation method, design and production technology for the "ThermoHedgehog" device to increase the efficiency of using heat generated by autonomous heating devices of the "potbelly stove" type based on commercial agreement with technical support, looking for partners for a joint venture agreement and on a research cooperation agreement .

Description

The device "ThermoHedgehog" allows you to increase the efficiency of the use of thermal energy in furnaces "potbelly stoves". The heat that used to fly into the chimney thanks to "ThermoHedgehog" will remain in the room and help increase the fire safety of the chimney and reduce the amount of products burned to achieve the required room temperature. Thanks to the original design solution, the product is easily mounted on the chimney.

The presentation of the device can be found [here](#) (in Russian).

Contacts

A.V. Luikov Institute of Heat and Mass Transfer

<http://www.itmo.by/>

220072 Minsk, Brovki str. 15

Svetlana Markova

sveta_oms@itmo.by

Attachments

[ThermoHedgehog.jpg](#)

Установив ТермоЁжик

- ★ Тепло остается в помещении
- ★ Устранение дефекта прогорания
- ★ Необходимо меньше топлива
- ★ Снижение выбросов CO₂
- ★ Повышается противопожарная безопасность

T.ME/STOIDEASBY
100IDEASBY

100 Идей для Беларуси

[Olga Ermakova.jpg](#)



[Laureates of 100 Ideas for Belarus 2023.jpg](#)



Technology for extracting lithium ions from aqueous media

Technology offers

IDENTIFIER: TO

Summary

The Institute of General and Inorganic Chemistry of the National Academy of Sciences of Belarus, represented by junior researcher Daria Pechenka (headed by Andrei Ivanets, Doctor of Chemistry, Corresponding Member of the NAS of Belarus), is developing a technology for extracting lithium ions from aqueous media and is looking for partners to conclude an agreement on research or technical cooperation.

Description

Now, lithium is widely used in various fields of industry. At the same time, lithium reserves on Earth are limited. These problems cause the relevance of the development of new materials and technologies for the extraction of lithium ions. The Institute of General and Inorganic Chemistry develops a technology for the production of sorbents based on lithium-manganese oxides for the extraction of lithium ions from aqueous solution, as well as the processing of lithium-ion batteries. These oxides are selective adsorbents of lithium ions. At present, adsorption is one of the most promising industrial methods.

The presentation of the technology can be found [here](#) (in Russian).

Contacts

Institute of General and Inorganic Chemistry

<http://www.igic.bas-net.by/>

220072 Minsk, Surganova St. 9/1

Ludmila Ovseenko

ovseenko@igic.bas-net.by

Attachments

[Technology for extracting lithium ions from aqueous media.jpg](#)



[Daria Pechenka.jpg](#)



[Diplom_D_Pechenka.jpg](#)



[Laureates of 100 Ideas for Belarus 2023.jpg](#)



High Efficiency Cloning of European Spruce

Technology offers
IDENTIFIER: TO

Summary

The Institute of Forest, represented by researcher Marina Kusenkova (headed by Dr. Vladimir Padutov), is developing a highly efficient technology for the vegetative propagation of European spruce through the use of the somatic embryogenesis method and is looking for partners to conclude a research cooperation agreement.

Description

At the moment, laboratory methods have been developed for obtaining a specific type of callus tissue, inducing the development of embryoids in it, and regenerating full-fledged plants capable of growing in soil conditions. The practical significance of the results of the project lies in the possibility of their application in the production of planting material for decorative and selectively selected forms of conifers, as well as for genetic engineering manipulations as a regeneration system from a small number of cells.

The presentation of the technology can be found [here](#) (in Russian).

Contacts

Institute of Forest
<http://www.forinst.basnet.by/>
246050, Gomel, Proletarian, St. 71
Liudmila Mozharovskaia
milamozh@yandex.ru

Attachments

[High Efficiency Cloning of European Spruce.jpg](#)

Автоматизированная система производства соматических эмбрионов
(no <https://multiforever.com/project/work-packages/>)


Для реализации разработки в коммерческом направлении необходимо:

- проведение дополнительных исследований по масштабированию процессов
- закупка лабораторного оборудования

100 Идей для Беларуси

T.ME/STOIDEASBY
100IDEAS.BY

[Marina Kusenкова.jpg](#)



[Laureates of 100 Ideas for Belarus 2023.jpg](#)



Growth regulator and immunomodulator of plants

Technology offers
IDENTIFIER: TO

Summary

The Institute of Experimental Botany and the Institute of Chemistry of New Materials represented by researcher Igor Ovchinikov, graduate student Ninel Elovskaya and junior researcher Victoria Nikolaichuk (headed by Academician Nikolai Laman) are developing a growth regulator and immunomodulator of plants are looking for partners to conclude a research cooperation agreement.

Description

The project is aimed at optimizing the process of obtaining new environmentally friendly compounds based on natural biologically active substances and scientific substantiation of their use in agriculture. As a result of the research, the synthesis technique has been improved and the quantitative patterns of the formation of chitosan conjugates with hydroxycinnamic acids have been established.

The presentation of the technology can be found [here](#) (in Russian).

Contacts

V.F. Kuprevich Institute of Experimental Botany
<http://botany.by/>
220072 Minsk, Akademicheskaja St. 27
Joanna Kalatskaya
kalatskayaj@mail.ru

Attachments

[Growth regulator_1.jpg](#)



Институт экспериментальной ботаники
им. В. Ф. Купревича НАН Беларуси



Институт химии новых материалов
НАН Беларуси



РЕГУЛЯТОР РОСТА И ИММУНОМОДУЛЯТОР РАСТЕНИЙ



Овчинников Игорь Алексеевич
научный сотрудник лаборатории
роста и развития растений
igor-1606@mail.ru

Еловская Нинель Анатольевна
аспирант лаборатории роста и
развития растений
yalouiskaya92@mail.ru

**Николайчук Виктория
Викторовна**
младший научный сотрудник
лаборатории микро- и
наноструктурированных систем
vica10bcn@gmail.com



[Growth regulator_2.jpg](#)

РЕГУЛЯТОР РОСТА И ИММУНОМОДУЛЯТОР РАСТЕНИЙ

- Снижает уровень загрязнения окружающей среды
- Ускоряет рост и развитие растений, размноженных микроклонально
- Улучшает иммунитет растений
- Повышает качество урожая
- Проявляет антиоксидантные свойства
- Экологически безопасен
- Обладает ростостимулирующим эффектом в оптимальных и неблагоприятных условиях
- Улучшает качество продукции
- Повышает продуктивность растений
- Нетоксичен для людей и животных
- Биоразлагаем
- Уменьшает себестоимость конечного продукта

100 идей для Беларуси

[Laureates of 100 Ideas for Belarus 2023.jpg](#)



Technology for the production of dry mixtures and emulsions for the manufacture of natural 3D meat products (HoReCa 3D-food printing)

Technology offers

IDENTIFIER: TO

Summary

Institute of Meat and Dairy Industry represented by the Head of the Sector for Comprehensive Research of Meat Products Ph.D. Irina Kaltovich (headed by Ph.D. in Economics Oleksiy Meleshchenya) offers, under a commercial agreement with technical assistance, technology and mixtures for the production of 3D meat products that are distinguished by individualized nutritional and biological value, balanced and natural composition, original design, shape, taste.

Description

The 3D food printing market is dynamic and growing rapidly. The average annual growth rate of this market is about 16%.

RUE "Institute of Meat and Dairy Industry" provides scientific support for the development of the meat and dairy industries in the Republic of Belarus. Based on comprehensive multidisciplinary research on the use of additive technologies in the food industry, the institute developed technologies for the production of natural 3D meat products (semi-finished products and culinary products), as well as meat mixtures and meat emulsions based on high-quality raw materials of animal origin (beef, pork, chicken meat - broilers) for 3D printing.

Competitive advantages of 3D meat products:

- * individualized nutritional and biological value, balanced ratios of amino acids, fatty acids, minerals, vitamins;
- * natural composition, no food additives (preservatives, dyes, stabilizers, flavor and aroma enhancers, etc.);
- * original technological parameters (design, shape, taste, etc.).

Competitive advantages of 3D meat mixes:

- * the possibility of modeling the nutrient composition, taking into account the individual physiological needs of the body of a particular person;
- * easily transportable and have a long shelf life (6 months at $t=18\pm 2$ °C, ϕ no more than 85%);
- * convenient to use in expeditions, hikes, space flights, etc.

The technology for the production of 3D meat products, mixtures, emulsions and equipment for their production will increase the competitiveness of the food industry and will have a positive effect on strengthening the health of the nation.

The presentation of the technology can be found [here](#) (in Russian).

Contacts

Institute of Meat and Dairy Industry

<http://www.instmmp.by/>

220075 Minsk, Partizansky ave. 172

Ekaterina Shegidevich

ek.sheg@yandex.ru

Attachments

[Advantages of 3D meat products.jpg](#)

Конкурентные преимущества 3D-мясных продуктов:

- **индивидуализированная пищевая и биологическая ценность**, сбалансированные соотношения **аминокислот, жирных кислот, минеральных веществ**;
- **натуральный состав, отсутствие пищевых добавок** (консервантов, красителей, стабилизаторов, усилителей вкуса и аромата и др.);
- **оригинальные технологические параметры** (дизайн, форма, вкус и др).



Конкурентные преимущества мясных смесей для 3D-принтинга:

- **возможность моделирования нутриентного состава** с учетом **индивидуальных физиологических потребностей организма** конкретного человека;
- **легко транспортабельны** и отличаются **длительным сроком хранения** (6 месяцев при $t=18\pm 2$ °С);
- удобны в применении **в экспедициях, походах, космических полетах** и др.



[Ph.D. Irina Kaltovich.jpg](#)



[Diplom_Ph.D. Irina Kaltovich.jpg](#)



[Laureates of 100 Ideas for Belarus 2023.jpg](#)

